


2026

ALUMINUM RAILING PROFILE

MEASURED TO CREATE
MAGNIFICENCE
ENGINEERED TO EVOKE
AWESOMENESS

- || Aluminum Glass Railing system
- || Steel Glass Railing System
- || Handrail & Baluster System




COMPANY Close-Up

Be one of the world's leading brands in **ALUMINUM & STEEL RAILING**, we are dedicated to supplying product of the highest quality at a reasonable price for absolute consumer satisfaction.

VAPORE help you simplify your living style so that you can free up your quality time & enjoy with your family to stay healthy. We do this by providing a comprehensive & fully integrated sales & Services for all kind of **SPA, JACUZZI MASSAGE TUB, STEAM GENERATOR, STEAM-SHOER CABIN, SHOWER PANEL & RAIN SHOWERS** etc.

We push the boundaries of smart bathroom & home to an inspirational design possible for every person on this planet through cutting edge design & innovation in interior as well as exterior like **GLASS HARDWARE, GLASS RAILING HARDWARE, all type of TOUGHENED GLASS, SHOWER ENCLOSURE, SPIDER FITTING HARDWARE & GLASS OFFICE PARTITIONS. INSTALLATION, ALUMINUM STRUCTURE GLAZING, ALUMINUIM RAILING SYSTEM** etc.

67 X 100 CODE : VBT-1
BRACKET & COVER SYSTEM)



STEP BRACKET (Grade : 6063T6)

Height : 67 / 100mm
Weight : 0.490/0.960 gm
Rubber : NO

PRICE :

BRACKET COVER

Height : 70 / 100mm Length : 13/16 Ft.
Weight : 0.195 (1 Feet / 1 Side)


PRICE :

Power Coting :
Anodize Coting :
Wood Finish :



- Top Mounted Bracket System with Continues Cover Profile.
- Suitable for 10 mm to 12mm Glass Thickness
- This Product can Support Glass Height up to 900mm

54 X 90 CODE : VBT-2
BRACKET & COVER SYSTEM)



SQUARE BRACKET (Grade : 6063T6)

Height : 54 / 90mm Length : 65/130mm
Weight : 0.250/0.480 gm

PRICE :

BRACKET COVER

Height : 54 / 90mm Length : 13/16 Ft.
Weight : 0.150 (1 Feet / 1 Side)
Rubber : 0.015 gm (1 Feet)

PRICE :

Power Coting :
Anodize Coting :
Wood Finish :




- Top Mounted Bracket System with Continues Cover Profile.
- Suitable for 10 mm to 12mm Glass Thickness
- This Product can Support Glass Height up to 900mm



- Top Mounted Bracket System with Continues Cover Profile.
- Suitable for 10 mm to 13.5 mm Glass Thickness
- This Product can Support Glass Height up to 900mm

94 X 103 CODE : VBT-3

BRACKET & COVER SYSTEM)



BRACKET (Grade : 6063T6)

Height : 94 mm / 103 mm

Weight : 0.640 gm/ 1.250gm

Length : 65mm / 130mm

PRICE :

BRACKET COVER

Height : 95mm / 105mm (Length: 13 ft & 16 ft)

Weight : 0.240 (1 Feet / 1 Side)

Rubber : 0.015gm (1 feet)

PRICE :

Mill Finish :

Anodize Coting :


Wood Finish :



- Top Mounted System Continues Profile.
- Suitable for 10 mm to 12mm Glass Thickness
- This Product can Support Glass Height up to 900mm

70 X 80 CODE : VBT-4

CONTINUOUS PROFILE SYSTEM)



ALUMINUM (Grade : 6063T6)

Height : 70 x 80mm

Length : 13/ 16 Ft.

Weight : 0.900gm (1 Feet)

Rubber : 0.030 gm (1 feet)


PRICE :

Power Coting :

Anodize Coting :

Wood Finish :

57 X 72 CODE : VBT-5
CONTINUOUS PROFILE SYSTEM)



- Top Mounted System Continues Profile.
- Suitable for 10 mm to 12mm Glass Thickness
- This Product can Support Glass Height up to 900mm

ALUMINUM (Grade : 6063T6)

Height : 57 x 72 mm

Length : 13/16 Ft.

Weight : 0.770gm (1 Feet)

Rubber : NO



PRICE :

Power Coting :

Anodize Coting :

Wood Finish :

45 X 60 CODE : VBT-6
CONTINUOUS PROFILE SYSTEM)



- Top Mounted System Continues Profile.
- Suitable for 10 mm to 12mm Glass Thickness
- This Product can Support Glass Height up to 900mm

ALUMINUM (Grade : 6063T6)

Height : 45 x 60 mm

Length : 13/16 Ft.

Weight : 0.550gm (1 Feet)

Rubber : NO

PRICE :

Power Coting :


Anodize Coting :

Wood Finish :



- Top Mounted System
Continues Profile.
- Suitable for 10 mm to 12mm
Glass Thickness
- This Product can Support
Glass Height up to 900mm

66 X 72 CODE : VBT-7
CONTINUOUS PROFILE SYSTEM)




ALUMINUM (Grade : 6063T6)
Height : 66 x 72 mm
Length : 13/16 Ft.
Weight : 0.630gm (1 Feet)
Rubber : 0.090 gm (1 Feet)

PRICE :
Power Coting :
Anodize Coting :
Wood Finish :



- Top Mounted System
Continues Profile.
- Suitable for 10 mm to 12mm
Glass Thickness
- This Product can Support
Glass Height up to 900mm


66 X 70 CODE : VBT-8
CONTINUOUS PROFILE SYSTEM)



ALUMINUM (Grade : 6063-T6)
Height : 66 x 70mm
Length : 13/16 Ft.
Weight : 0.650 gm (1 Feet)
Rubber : 0.110 gm (1 feet)

PRICE :
Power Coting :
Anodize Coting :
Wood Finish :

30 X 40 CODE : VBT-9
CONTINUOUS PROFILE SYSTEM)



- Top Mounted System Continues Profile.
- Suitable for 10 mm to 12mm Glass Thickness
- This Product can Support Glass Height up to 900mm

ALUMINUM (Grade : 6063T6)

Height : 30 x 40 mm

Length : 13 Ft / 16 ft

Weight : 0.450 gm (1 Feet)

Rubber : 0.060 gm (1 Feet)


PRICE :

Power Coting :

Anodize Coting :

Wood Finish :

34 X 60 CODE : VBT-10
CONTINUOUS PROFILE SYSTEM)



- Top Mounted System Continues Profile.
- Suitable for 10 mm to 12mm Glass Thickness
- This Product can Support Glass Height up to 900mm

ALUMINUM (Grade : 6063T6)

Height : 34 x 60 mm

Length : 12/16 Ft.

Weight : 0.630gm (1 Feet)

Rubber : 0.090 gm (1 feet)

PRICE :

Power Coting :


Anodize Coting :

Wood Finish :



- Top Mounted System
Continues Profile.
- Suitable for 10 mm to 12mm
Glass Thickness
- This Product can Support
Glass Height up to 900mm

37 X 80 CODE : VBT-11
CONTINUOUS PROFILE SYSTEM)




ALUMINUM (Grade : 6063T6)
Height : 37 x 80mm
Length : 13/16 Ft.
Weight : 0.930 gm (1 Feet)
Rubber : 0.120 gm (1 feet)

PRICE :
Power Coting :
Anodize Coting :
Wood Finish :



- Top Mounted System
Continues Profile.
- Suitable for 10 mm to 12mm
Glass Thickness
- This Product can Support
Glass Height up to 900mm



45 X 100 CODE : VBT-12
CONTINUOUS PROFILE SYSTEM)



ALUMINUM (Grade : 6063T6)
Height : 45 x 100 mm
Length : 13 Ft/ 16ft
Weight : 1.330 gm (1 Feet)
Rubber : 0.110 gm (1 Feet)

PRICE :
Power Coting :
Anodize Coting :
Wood Finish :

70 X 125 CODE : VBT-13
CONTINUOUS PROFILE SYSTEM)



- Top Mounted System Continues Profile.
- Suitable for 10 mm to 12mm Glass Thickness
- This Product can Support Glass Height up to 900mm

ALUMINUM (Grade : 6063T6)

Height : 70 x 125 mm

Length : 13 Ft / 16 ft

Weight : 1.750 gm (1 Feet)

Rubber : 0.150 gm (1 Feet)



PRICE :

Power Coting :

Anodize Coting :

Wood Finish :

50 X 90 CODE : VBT-14
CONTINUOUS PROFILE SYSTEM)



- Top Mounted System Continues Profile.
- Suitable for 10 mm to 12mm Glass Thickness
- This Product can Support Glass Height up to 900mm

ALUMINUM (Grade : 6063T6)

Height : 50 x 90 mm

Length : 13/16 Ft.

Weight : 0.950gm (1 Feet)

Rubber : 0.120 gm (1 feet)

PRICE :

Power Coting :


Anodize Coting :

Wood Finish :



- Top Mounted Bracket System
- Suitable for 10 mm to 12 mm Glass Thickness
- This Product can Support Glass Height up to 900mm

60 X 125 CODE : VBT-15
CONTINUOUS PROFILE SYSTEM)



Aluminum Alloy : 6063-T6)
Height : 60 mm/ 125 mm
Weight : 1.980 gm (1 ft)
Rubber : 0.140 gm (1 ft)
Length : 13 ft / 16 ft


PRICE :

Power Coating :
Anodize Coting :
Wood Finish :
Raw Mill Finish :



- Top Mounted Bracket System
- Suitable for 10 mm to 12mm Glass Thickness
- This Product can Support Glass Height up to 900mm

86 X 87 CODE : VBT-16
CONTINUOUS PROFILE SYSTEM)




Aluminum Alloy : 6063-T6)
Height : 86 mm/ 87 mm
Weight : 1.160 gm (1 ft)
Rubber : 0.130 gm (1 ft)
Length : 13 ft / 16 ft

PRICE :


Power Coating :
Anodize Coting :
Wood Finish :
Raw Mill Finish :

Architecture Railing BRACKET Designs




VB BR-01

SIZE - 4, 6, 9 inch
Power Coting :
Wood Finish :




VB BR-02

SIZE - 4, 6, 9 inch
Power Coting :
Wood Finish :



VB BR-03


SIZE - 10 inch
Power Coting :
Wood Finish :



VB BR-04


SIZE - 11 inch
Power Coting :
Wood Finish :






VB BR-05

SIZE - 9 inch
Power Coting :
Wood Finish :




VB BR-06

SIZE - 5 & 9 inch
Power Coting :
Wood Finish :




VB BR-07

SIZE - 9 inch
Powder Coting :
Wood Finish :




VB BR-08

SIZE - 9 inch
Power Coting :
Wood Finish :



VB BR-09


SIZE - 9 inch
Power Coting :
Wood Finish :



VB BR-10


SIZE - 9 inch
Power Coting :
Wood Finish :






VB BR-11

SIZE - 4 & 6 inch
Power Coting :
Wood Finish :




VB BR-12

SIZE - 4 inch
Power Coting :
Wood Finish :




VB BR-13

SIZE - 4 inch
Powder Coting :
Wood Finish :




VB BR-14

SIZE - 4 inch
Power Coting :
Wood Finish :



VB BR-15


SIZE - 5 inch
Power Coting :
Wood Finish :



VB BR-16


SIZE - 8 inch
Power Coting :
Wood Finish :






VB BR-17

SIZE - 4 inch
Powder Coting :
Wood Finish :




VB BR-18

SIZE - 6 inch
Power Coting :
Wood Finish :



VB BR-19

SIZE - 6 inch
Power Coting :
Wood Finish :





VB BR-20

SIZE - 40mm/50mm
Power Coting :
Wood Finish :




SIDE SPACER

Architecture Railing **HANDRAIL** Designs



40 & 50 mm



SIZE - 40 X 40MM (13 ft/ 16ft)



Power Coting :

Wood Finish :


SIZE - 50 X 50MM (13 ft/ 16ft)

Power Coting :

Wood Finish :



40&50 mm (R)



SIZE - 40 X 40MM (13 ft/ 16ft)


Power Coting :


Wood Finish :

SIZE - 50 X 50MM (13 ft/ 16ft)


Power Coting :

Wood Finish :







25 x 25 mm




SIZE - 25 X 25 MM (13 ft/ 16ft)

Power Coting :

Wood Finish :




60 x 45 mm




SIZE - 60 X 45 MM (13 ft/ 16ft)

Power Coting :

Wood Finish :





70 x 35 mm




SIZE - 70 X 35 MM (13 ft/ 16ft)

Power Coting :

Wood Finish :





70 x 35 mm (LED)




SIZE - 70 X 35 MM (13 ft/ 16ft)

Power Coting :

Wood Finish :




58 x 32 mm




SIZE - 58 X 32 MM (13 ft/ 16ft)


Power Coting :

Wood Finish :







58 x 32 mm (LED)




SIZE - 58 X 32 MM (13 ft/ 16ft)

Power Coting :

Wood Finish :





38 x 38 mm




SIZE - 38 X 38 MM (13 ft/ 16ft)

Power Coting :

Wood Finish :





45 x 35 mm




SIZE - 45 X 35 MM (13 ft/ 16ft)

Power Coting :

Wood Finish :




70 x 35 mm




SIZE - 70 X 35 MM (13 ft/ 16ft)

Power Coting :

Wood Finish :




85 x 40 mm



SIZE - 85 X 40 MM (13 ft/ 16ft)


Power Coting :

Wood Finish :






55 x 55 mm



SIZE - 55 X 55 MM (13 ft/ 16ft)

Power Coting :

Wood Finish :




65 x 38 mm




SIZE - 65 X 38 MM (13 ft/ 16ft)

Power Coting :

Wood Finish :




70 x 30 mm (LED)



SIZE - 70 X 30 MM (13 ft/ 16ft)

Power Coting :


Wood Finish :



|| LET THE WORLD
SEE YOUR STATUS
AS AND WHEN YOU WANT



Wide choice of colors in :
POWDER COATED & WOODEN FINISH



Vapore^R

Architectural fittings



Complete Interior & Exterior Solution



Manufacturing at : Rajkot (Gujrat)
Display : PLOT No. 62, PH-2, Ind. Area, Chandigarh
Godown : Plot No.1, Sai City, Derabasi, Punjab



8289007566 / 7307207566



info.wellness@vapore.co.in
vaporebath@yahoo.com



Digital India
Power to Empower

We Support



एक कदम स्वच्छता की ओर

Certification : ISO 9001:2015



www.vapore.co.in